

PULVERIZADORES FOAM (ESPUMA)













Sprayers specifically manufactured for the generation of dry and long lasting foam. Designed for use with chemical agents with surfactant properties (surface active). The IK FOAM sprayers range provides the user a dense and durable foam suitable for cleaning and disinfecting upholstery and carpets, disinfecting bathrooms and changing rooms, kitchens and food processing stations, car washes etc.









FOAM 1



CODE: 8.17.76

All plastic parts and washers resistant to most acids and solvents • 3 bar safety valve with depressurization option • Large opening for easy filling and cleaning • Ergonomic design • Strong translucent tank with level indicator • Protective sleeve for valve chamber • Easy assembly and taking apart for cleaning and maintenance, tool free • Special "foam" even fan type nozzle.

TECHNICAL SPECIFICATIONS	
TOTAL CAPACITY	1.50 l. – 0.39 U.S. Gallons.
USEFUL CAPACITY	0,75 l. – 0.19 U.S. Gallons.
GROSS WEIGHT	0.60 Kg — 1.32 lbs.
NET WEIGHT	0.46 Kg — 1.02 lbs.

USES - APPLICATIONS

THROUGH THE USE OF DRY FOAM WE OBTAIN:

- · Accelerates the application time between the chemical product and the surface to be cleaned increasing the effectiveness of the sprayed product.
- · Cleans fabrics, upholstery and carpets preventing excessive wetting, thereby reducing drying time and preventing the appearance of fungi and bacteria.
- · Has greater visual control of the sprayed surface.

SPRAYERS SPECIALLY DESIGNED FOR USE IN:

- · Cleaning of upholstery, carpets and rugs.
- · Cleaning and disinfection of areas and surfaces intended for food processing (industrial kitchens, bakeries, meat industry, slaughterhouses and cutting plants, fishmonger's shops etc.).
- · Care and cleaning of vehicles.
- · Cleaning and disinfection of sports facilities, and public bathrooms, spas, changing room areas etc.
- · Washing of industrial machinery, delivery trucks, disinfection of trailers and loading areas etc.



CLEANING AND MAINTENANCE OF THE SPRAYER

- · After each use depressurize the sprayer and clean it.
- · If the nozzle becomes blocked, clean it with water and do not use metallic objects.
- · If the filter of the handle is clogged, remove it and clean it with water.
- Store the sprayer under cover, avoiding freezing temperatures and extreme heat (between 5° and 30° C).
- To prolong the life of the seals, regularly apply grease to the moving parts of the sprayer.









EFFICIENT AND EFFECTIVE APPLICATION

· Always follow the instructions and the dosages indicated on the labels of the chemical product to be used.

SAFETY RULES

- To avoid any consumption of the product, do not eat, drink or smoke while preparing and spraying.
- Do not use the sprayer on persons, animals, or electric installations.
- Do not spray with high winds or extreme heat.
- · In the event of poisoning, see your doctor, taking the chemical product packaging with you.
- Never dispose of waste product or cleaning residues near water courses, wells, etc.
- Use suitable protective equipment, masks, goggles, gloves, footwear, etc., to avoid contact of the chemical products with skin, eyes and mouth.
- Do not spray on open flames, fire or other sources of ignition.



