



Made  
under



## >> Type of use (\*)

Soft, resistant and comfortable, mechanics gloves can be used in many activities at work or for leisure and sport activities.

Plumbing. Joinery work. Bricklayer. Plumbers. Carpenters, Bricklayers. Do-it-yourself. Leisure. Mechanic sport. Cycling.

## >> Technical features

- ✓ Cut-and-sewn safety glove.
- ✓ Mechanics style.
- ✓ Palm: 65 % Nylon and 35 % PU.
- ✓ Back: 97 % polyester and 3 % Elastane.
- ✓ Polyester self-grip adjustment at wrist.
- ✓ Sizes: 8, 9, 10.
- ✓ **Packing:**

- Bundle of 10 pairs.
- Each pair under individual polybag.



Learn more: [www.singer.fr](http://www.singer.fr)

## >> Advantages

- ✓ ISO 9001 system in production.
- ✓ Quality of materials and excellent workmanship.
- ✓ Ideally shaped to the contours of the hand for comfort and dexterity.
- ✓ Various reinforcements on the palm ensure a longer service life.

Heavy  
handling in dry  
conditions

## >> Conformity

This glove has been tested according to the following European standards :


- **EN 420 : 2003 + A1 : 2009.** Protective gloves - General requirements and test methods.
- **EN 388 : 2016.** Protective gloves against mechanicals risks.

It complies with European **Regulation (EU) 2016/425** on Personal Protective Equipment (PPE). **Category II.**  
EU type examination certificate (module B) issued by **CENTEXBEL**. Notified body **n°0493**.

Download the EU declaration of conformity on: <http://docs.singer.fr>



### EN 388: 2016. Protective gloves against mechanical risks

Mechanical data. Information about levels.	Level 1	Level 2	Level 3	Niveau 4	Level 5	Levels ▼	<b>EN 388 : 2016</b>  <b>1 1 1 1 X</b>
Abrasion resistance (number of cycles)	100	500	2000	8000	-	<b>1</b>	
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	<b>1</b>	
Tear resistance (in Newtons)	10	25	50	75	-	<b>1</b>	
Perforation resistance (in Newtons)	20	60	100	150	-	<b>1</b>	
Cut resistance (N) (as per EN ISO13997) (TDM test)	Level A	Level B	Level C	Level D	Level E	Level F	Level
	2	5	10	15	22	30	<b>X</b>

«X» means that the glove has not been submitted to the test.

Your distributor **SINGER® SAFETY**

**SINGER®**  
safety